

REMARKS

Claims 1-37 are pending in this application. By this Amendment, claims 1-37 are amended, drawing sheets 1-12 and 14-27 are corrected and the specification is replaced with a substitute specification. Reconsideration based on the above amendments and following remarks is respectfully requested.

I. Information Disclosure Statement

The Office Action asserts that the Information Disclosure Statement that was filed on January 5, 2001 fails to comply with the provisions of 37 C.F.R. § 1.97, 1.98 and MPEP 609 because the information disclosure statement does not include a concise explanation of the relevance of each patent that is not listed is not in the English language. Applicants submit concise English-language translations for each of the Japanese references. Applicants respectfully submit that the Information Disclosure Statement is in compliance with 37 C.F.R. §1.97 and MPEP 609.

In addition, Applicants respectfully submit that the date of publication for the Okabe et al. reference, is found on page 4 of the original specification, and the date of publication for this reference is July 7, 1996.

Regarding the Jacobson et. al. reference, the date of publication is June, 1992. Evidence of the publication date of this reference is provided.

II. Drawings

Applicants respectfully submit that the proposed drawing corrections obviate the Office Action's objections to the drawings. Corrected drawing sheets 1-12 and 14-27 are enclosed with the proposed drawing corrections indicated in red.

III. Specification

Applicants respectfully submit that the substitute specification is in compliance with 37 C.F.R. §1.52(a) and (b). No new matter is added in the substitute specification.

The Office Action objects to the improper attempt to incorporate by reference, references 5-10. Applicants respectfully submit that there was no attempt by the Applicants to incorporate the references in the Specification. In fact, the Specification is void of any attempt to incorporate references 5-10.

Regarding the Office Action's objections to the use of "from 3x3" instead of from 9 in the fourth paragraph of page 18 is proper and that the use of "from 3x3" indicates that a matrix is being used and not the multiplication of 3x3.

Regarding the publishing dates of references 1, 2 and 11, Applicants respectfully submit that the publication dates of references are corrected in the Substitute Specification.

Regarding the assertion that the first sentence of the second paragraph on page 12 is unnecessary, the sentence is deleted.

Regarding the proposed change to the last sentence of the third paragraph on page 13, the Substitute Specification reflects the change suggested in the Office Action.

Regarding the identification of the figure referred to on the first sentence of the second paragraph on page 50, the Substitute Specification identifies the drawing as Fig. 23.

Regarding the Office Action's proposed changes to the first sentence of paragraph four on page 50, the first sentence of paragraph two on page 51, the second sentence of paragraph three on page 52, Applicants respectfully submit that the Substitute Specification reflects the Office Action's suggestions.

The Office Action objects to the terms "beyond fields" and "beyond the field dependence. Applicants respectfully submit that the substitution of the term, "--across fields-" for the term "beyond fields" and the substitution of the term "--across the field dependence-" for the term "beyond the field dependence" obviates the objections to these terms.

IV. The Claims Define Allowable Subject Matter

A. Claim Rejections Under 35 U.S.C. §112

The Office Action rejects claims 1-3 and 36-37 under 35 U.S.C. §112, first paragraph as failing to comply with the enablement requirement. The Office Action states that the claims contain subject matter which is not described in the specification in such a way as to enable one skilled in the art to which it pertains with which it is nearly connected to make or use the invention.

Applicants respectfully submit that amended claims 1-3 and 36-37 are fully enabled in the specification. Applicants respectfully assert that claims 1-3 and 36-37 recite an automated process description apparatus for designing and analyzing processes in such a way as to enable one skilled in the art to make or use the invention.

Withdrawal of the rejection under 35 U.S.C. §112, first paragraph is respectfully requested.

B. Claim Rejections Under 35 U.S.C. §101

The Office Action rejects claims 1-37 under 35 U.S.C. §101 and asserts that claims 1-37 are directed to non-statutory subject matter. The Office Action asserts that the invention is not supported by either a credible asserted utility or a well established utility. Applicants respectfully traverse this rejection.

Specifically, Applicants assert that claims 1-37 are directed to an automated process an automated method and respectfully submits that an automated method and process as claimed are statutory subject matter because the subject matter of claims 1-37 produce a useful, concrete and tangible result. See MPEP 2107.02 III, IV.

"The Alappat inquiry simply requires an examination of the . . . claims to see if the claimed invention as a whole is a disembodied mathematical concept representing nothing more than . . . an "abstract idea" or if the mathematical concept has been reduced to some

practical application rendering it "useful." In *Alappat*, the Federal Circuit held more than an abstract idea was claimed because the invention as a whole was directed toward forming a specific machine that produced the useful, concrete, and tangible result. See *AT&T Corp v. Excel Communications Inc.* 50 USPQ2d 1447, 1451 citing *In re Alappat*, 31 USPQ2d 1545, 1557 (Fed. Cir. 1994).

Applicants respectfully submit that amended claims 1-37 are reduced to a practical application. The subject matter of claims 1-37 recite an automated process description apparatus and method. The automated apparatus and method produces the useful, concrete and tangible result of process design and analysis. The subject matter of claims 1-37 builds a description of a process by use of attributes and definitions of the field of use for the process (epistemological grounds) of the process that is being described, including reiterating the steps inputting the description and analysis of the results until an end condition is satisfied and characterizing an E-R model. The useful, concrete and tangible result of the apparatus and method of claims 1-37 is a process model that has the practical application of process design and analysis.

The practical use of process design and analysis is well-established in the art as evidenced at least in US Patent No. 5,819,270 to Malone et al. ("Malone") (See the Abstract, Field of the Invention and Background of the Invention of Malone).

The Applicants respectfully submit that claims 1-37 comply with 35 U.S.C. §101. Withdrawal of the rejection of claims 1-37 is respectfully requested.

C. Claim Rejections Under 35 U.S.C. §102

The Office Action rejects claims 1-15 and 17-37 under 35 U.S.C. §102(b) as being unpatentable over U.S. Patent No. 5,819,270 to Malone et al. (hereinafter Malone). Applicant respectfully traverse this rejection.

Regarding claims 1-3, 15, 26-34, 36 and 37 Applicants respectfully submit that Malone fails to disclose or teach all of the features recited in claims 1-3, 15, 26-34, 36 and 37 as amended. Specifically, Malone fails to disclose or teach iterating based on analyzing the process, determining whether the in condition is satisfied and repeating the analyzing step until converted. In fact, Malone fails to even mention iteration step as recited in amended claims 1-3, 15 and 26-34.

Regarding claims 36 and 37, Applicant respectfully submits that Malone fails to disclose or teach all of the features recited in claims 36 and 37. Typically, Malone fails to disclose or teach characterizing and ER models and providing a polynomial link of n to m in R , as recited in claims 36 and 37.

Withdrawal of the rejection of claims 1-15 and 17-37 is respectfully requested.

D. Claim Rejection Under 35 U.S.C. §103

The Office Action rejects claim 16 under 35 U.S.C. §103(a) as unpatentable over Malone and further in view of Orfli. Applicants respectfully traverse this rejection.

Applicants respectfully submit that the cited combination of Malone and Orfli fails to teach or suggest all of the features recited in claim 16. Specifically, Malone and Orfli fail to teach or suggest all of the features recited in claim 15. Therefore, since claim 16 depends from claim 15 Applicants respectfully submit that claim 16 is allowable at least for the reasons stated regarding claim 15.

Withdrawal of the rejection of claim 16 is respectfully requested.

V. Conclusion

In view of the foregoing, it is respectfully submitted that this application is in condition for allowance. Favorable reconsideration and prompt allowance of claims 1-37 are earnestly solicited.

Should the Examiner believe that anything further would be desirable in order to place this application in even better condition for allowance, the Examiner is invited to contact the undersigned at the telephone number set forth below.

Respectfully submitted,



James A. Oliff
Registration No. 27,075

David E. Brown
Registration No. 51,091

JAO:DEB/tbh


Attachments:

English Language Translation of Japanese references
Replacement Drawing Sheets 1-12 and 14-27
Substitute Specification
Marked-up copy of Specification

Date: December 30, 2003

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

<p>DEPOSIT ACCOUNT USE AUTHORIZATION Please grant any extension necessary for entry; Charge any fee due to our Deposit Account No. 15-0461</p>



PROCESS DESCRIPTION APPARATUS AND METHOD, AND
PROCESS CLASSIFICATION METHOD

RECEIVED

BACKGROUND OF THE INVENTION DEC 31 2003

1. Field of the Invention

Technology Center 2100

This invention relates to a process description method and a process classification method intended for making it possible to make the most of knowledge about processes beyond fields by describing and classifying various processes existing in the real world based on commonality beyond fields.

This invention also relates to a process description method and a process classification method for aiding in analyzing and designing processes.

This invention ^{further} relates to a process description method and a process knowledge database for making it possible to make the most of processes and process coordination method ~~across~~ ~~beyond~~ fields and areas by describing processes centering on the dependence relationship between activities independent of fields or areas and systematizing the described process knowledge using a plurality of classification structures responsive to purposes when putting various processes existing in the real world and coordination method for coordinating the processes input a database.

Hitherto, to describe a process, a description method and a classification method fitted for the purpose for each

scientific field or industrial field has been adopted. The processes mentioned here refer to general processes modeled in a wide range of fields, such as a software program, a manufacturing process, a supply chain, a work flow, a business process, a circulation system of an ecological system, and homeostasis of living creatures.

The invention focuses attention on the fact that even processes in different fields are common in essential nature (dependence relationship between activities and method for coordinating the dependence relationship = process knowledge) beyond the fields, and makes it possible to make the most of the process knowledge mutually beyond the fields.

The process knowledge common beyond the fields is, for example, knowledge of arrival order processing of order jobs and knowledge about FIFO (first-in, first-out) in queue management of computers. The arrival order processing in order jobs is the same as the FIFO in queue management of computers. Thus, from the viewpoint of the process knowledge, it is desirable that the process knowledge can be used not only in each field, but also for mutual problem solution, hypothesis making, etc. However, hitherto, the process knowledge has been described for each field by the description method proper to each field, thus it has been difficult to mutually use the process knowledge.

In the invention, a process knowledge database is

constructed by a description method capable of representing the process knowledge found and developed in various fields in common and a classification method for organizing relevant processes beyond the fields and process analysis and process design jobs are supported by making the most of the process knowledge database.

2. Description of the Related Art

The following references are available as related arts:

Reference [1]

Malone, T.W. and Crowston, K.: The interdisciplinary study of coordination, ACM Computing Surveys, 26 (1), 87-119, 1994
November 1993

Reference [2]

Malone, T.W., Crowston, K., Lee, J. and Pentland, B.: "Tools for inventing organizations: Toward a handbook of organizational processes," In Proceedings of the 2nd IEEE Workshop on Enabling Technologies Infrastructure for Collaborative Enterprises. Morgantown, WV, ~~April~~ ^{May} 20-22, 1993

Reference [3]

Malone, T.W., Crowston, K., Lee, J., Pentland, B. and Dellarocas, C. Computer system for displaying representations of processes. US Patent No. 5,819,270 (October 6, 1998) ., Malone, T. W., Crowston, K., Lee, J., Pentland, B. and Dellarocas, C. A computerized handbook of processes. European Patent No. 0692113 (October 14, 1998).

Reference [4]

Jacobson, I. Et al.: Object-Oriented Software Engineering-A Use Case Driven Approach, the ACM press, New York (1992).
(Translated by NISHIOKA Toshihiro et al.: Object shikou software kougaku OOSE, Toppan (1995))

Reference [5]

OKABE Masao et al.: Object shikou modeling shuhou MELON;
"Object shikou saizensen," subtitle "Jyouhou shori gakkai' 96 symposium" (Sha) Jyouhou shori gakkai software kougaku kenkyukai Edited by AOYAMA Mikio and FUKASAWA Yoshiaki, Asakura Shoten, July 7, 1996, first edition.

Reference [6]

Fujituu KK: Soshiki katudou database no kouchiku houhou, sorenishiyousuru bunseki sheet nonyuuryoku houhou oyobi soshiki katudou kanri system, Tokkyo kouhou dai 2923552 gou.

Reference [7]

Fujituu KK: Gyomu object no jidouseiseisouchi oyobi houhou narabini gyomu object seisei program wo kirokishita computer yomitorikanouna kirokubaitai, Koukai tokkyo kouhou Heisei 11-119987 gou

Reference [8]

KK Hitachi seisakusho: Work flow system kaihatu shien houhou,
Koukai tokkyo kouhou Heisei 11-085880 gou

Reference [9]

Shimizu kensetu KK: Tougouteki seisan project jyouhou kanri
system, Koukai tokkyo kouhou Heisei 6-044255 gou

Reference [10]

KK Hitachi seisakusho: Jyouhou shori teijyun no seiseishouchi,
Koukai tokkyo kouhou Shouwa 62-057023 gou

Reference [11]

Thomas W. Malone, Kevin Growston, Jintae Lee, Brian Pentland,
Chrysanthos Dellarocas, George Wyner, John Quimby, Charles S.
Osborn, Abraham Bernstein, George Herman, Mark Klein, and Elissa
O'Donnell: Tools for inventing organizations: Toward a
handbook of organizational processes. Management Science
45(3) pp 425-443, ~~March~~ ^{October of 1998} 1999

In techniques of describing and classifying process
knowledge in related arts, databases proper to fields are
developed by the process description methods dependent on the
fields. (References 6, 9, and 10) However, even processes in
different fields may be common in essential nature beyond the

fields. For example, arrival order processing in order jobs is the same as FIFO (first-in, first-out) in queue management of computers. The study field of paying attention to such nature and describing process knowledge in various fields according to common model for attempting to clarify scientifically is coordination science in progress in MIT (Massachusetts Institute of Technology) (Reference 1). Coordination defined in the coordination science refers to "managing of dependence relationship between activities" and in the coordination science, this definition is called coordination theory. MIT obtains US and European patents relating to a process representation display system for describing and classifying job processes in various business categories in common based on the coordination theory (References 2 and 3). The processes described according to activities and the dependence relationship between the activities are classified only by two hierarchical structures of abstract-concrete form relationship (specialization) and part-whole relationship (decomposition). In a system developed in MIT (Reference 11), the basic types for classifying the dependence relationships between activities are three types of Flow, Fit, and Share.

On the other hand, in techniques relating to process description, particularly to information processes and human processes, the patents of describing processes using object-oriented models are mainstream at present (References

4, 5, 6, 7, and 9). The former patents are characterized by process description assuming a target domain and thus do not assume integrating of process descriptions of a plurality of different target domains. In one of the patents (Reference 6), processes are represented by verbs, objects of the verbs are limited to six types, and they are managed in a class hierarchy, whereby a work process database is realized.

In the object-oriented study conscious of target domains, a method of analyzing the characteristic of a target domain and then describing a model is under study. In OOSE by Jacobson, I. Et al. (Reference 4), interaction with the system outside is described as a use case and an interface object is modeled as an analysis model based on the use case, then a real object corresponding to the real world is modeled. In multilevel recognition logic network MELON by OKABE Masao et al. (Reference 5), positioning of job domains is made clear, object of "role ground" is introduced as unit of dynamic behavior, and aside from the object, "atom object model" is introduced to share information, and the models are related to each other.

However, a problem of object-oriented models on integrally describing process knowledge lies in that if the number of targets to be modeled as object is regarded as plural or one because of the viewpoint difference between analyzers, analysis models must be again constructed individually because of the object definition difference. The reason is that in

the object-oriented technique, subject of object is defined and a procedure is described as an attribute of the execution subject and thus if the subject differs, it must be described as another process.

In contrast, in the process description based on the coordination theory, a process is described centering on "activity" corresponding to a procedure in the object-oriented technique and is represented as the dependence relationship between activities. The execution subject is regarded as one of "resources" required for activity. Thus, if the subject differs, the dependence relationship between activities does not change. Thus, it is made possible to describe process knowledge ^{across} ~~beyond~~ the field dependence.

For example, a supply chain in affiliated companies becomes a chain of companies if it is viewed in the object-oriented technique, but becomes the dependence relationship between business activities if it is viewed from the coordination theory. Therefore, one company farms out a part of activities as outsourcing or merges one affiliated company, an object-oriented model needs to be again constructed; a model based on the coordination theory can be handled as the same model unless the dependence relationship between activities changes. (FIG. 1)

In the related arts, the fields in which described processes exist are limited and thus an apparatus and method

for systematically aiding in using the process knowledge beyond the fields cannot easily be constructed. Therefore, for example, a company consultant abstracts the processes in different business categories by experience for re-adaptation. However, this is limited to the field at which the consultant is good, and depends on the experience and the abstract capability of the consultant, thus variations of process propositions that can be selected are limited to the field and personal variations occur; this is a problem.

On the other hand, to describe processes in various fields and business categories integrally, the purpose, scale, resources, representation granularity, and the like of process description depend on the rationality of the party describing and using the process. Thus, if integrated description method and classification method are used for realization, all attributes and classification structures must be described integrally; this is also a problem.

SUMMARY OF THE INVENTION

It is therefore an object of the invention, to make the most of process knowledge beyond fields and areas by describing and classifying various processes existing in the real world according to common models in process description describing each process as the dependence relationship between activities, to make it possible to systematically classify common

characteristics of process knowledge beyond fields while describing information of rational viewpoint (=epistemological ground) for modeling the process proper to each field by individually defining proper characteristics of fields and business categories to describe the processes.

In the invention, a unique process description method and classification method solving practical problems with reference to the known information concerning the coordination theory are realized on a computer system. To solve the problem involved in the above-mentioned US and European patents [3], namely, the problem wherein a plurality of model description and component classification methods become necessary for each viewpoint of recognition depending on the viewpoint of recognition of process analysis and to use only the two whole classification structures provided by the above-mentioned patents, component description attributes correspond to a plurality of recognition viewpoints and thus are enlarged redundantly or the classification reference becomes ambiguous because a plurality of recognition viewpoints are contained, in the invention, an epistemological ground of explicitly describing an epistemological viewpoint when a process is modeled is introduced, whereby a plurality of classification structures corresponding to the recognition viewpoint can be provided for each epistemological ground.

To the end, the invention adopts the configuration as

follows.

According to the invention, there is provided a description method of describing a process based on "activity" forming a part of the process, "resource" transferred between the activities, "dependence relationship" between the activities via the resource, and "epistemological ground" to describe the characteristics and constraints proper to the field or business category to which the process belongs on describing the process as the components to describe the process, and a classification method of classifying the described processes based on elements of the components and element combinations.

Thus, each process in the real world can be modeled from the viewpoint of analysis appropriate for using the process (epistemological ground) and the components of the modeled process are classified beyond the epistemological ground, whereby a retrieval can be made from similarity and contrast on classification beyond fields, whereby it is made possible to use the process knowledge beyond fields for analyzing and designing the process.

Further, based on the epistemological ground, one process in the real world can also be described as different process models. For example, to model a business process in an arbitrary organization, if the epistemological ground is set from the viewpoint of personnel, the process can be modeled as the dependence relationship between jobs with persons as resources;

if the epistemological ground is set from the viewpoint of finance, the process can be modeled as the dependence relationship between activities with funds and assets like cash flow as resources. Further, if the epistemological ground is set from the viewpoint of information processing, the process can be modeled as the dependence relationship between information processing activities with paper documents, files, etc., as resources. Thus, to analyze the same business process, individual description matching the viewpoint or purpose on managing and coordinating the process is made possible for each epistemological ground.

~~The invention will be further discussed.~~ To the end, according to the invention, there is provided a process description apparatus for describing a process using a model wherein a plurality of activities have dependence relationship via a resource, the process description apparatus comprising means for storing definition of an epistemological ground for a domain of the process to be described; means for storing attributes of the activities of the process to be described for each epistemological ground; means for storing the attributes of the resource of the process to be described for each epistemological ground; means for storing the attributes of the dependence relationship of the process to be described for each epistemological ground; and means for displaying the activities, the resource, and the dependence relationship as

figure elements.

In the configuration, the activity, resource, and dependence relationship of the target process can be described for each viewpoint of process analysis or domain of the target process (epistemological ground) and the constraints, etc., of the domain are defined, whereby analysis appropriate for the domain can be made. It is also made possible to again use knowledge of processes belonging to different epistemological grounds by classifying the processes based on the activity, the resource, and the dependence relationship beyond fields. Formerly, it was difficult to use the knowledge about the processes in different domains.

In the configuration, at least one of the activities, the resource, and the dependence relationship may be displayed as a figure element. More than one dependence relationship between activities may exist, in which case the dependence relationship to be displayed may be selected by specifying the attribute and attribute value of the dependence relationship. The activity or the resource to be displayed may also be selected by specifying the attribute and attribute value thereof. In doing so, ^{appropriate display} ~~display appropriate~~ for the purpose and scene of analysis can be produced.

To the end, according to the invention, there is provided a process description apparatus for describing a process using a model wherein a plurality of activities have dependence

relationship via a resource, the process description apparatus comprising means for storing constraints of the process activities, resource, and dependence relationship under a predetermined domain identifier for the domain of the process to be described; means for assigning a domain identifier to the process to be described; means for describing the attributes of the activities of the process to be described under the constraints of the assigned domain identifier; means for describing the attributes of the resource of the process to be described under the constraints of the assigned domain identifier; means for describing the attributes of the dependence relationship of the process to be described under the constraints of the assigned domain identifier; and means for displaying at least one of the activities, the resource, and the dependence relationship as a figure element.

The domain identifier is provided for identifying the domain or the viewpoint and can be called in various manners. In specific examples described later, the domain identifier is called "epistemological ground ID."

Also in the configuration, the activity, resource, and dependence relationship of the target process can be described for each viewpoint of process analysis or domain of the target process (epistemological ground) and the constraints, etc., of the domain are defined, whereby analysis appropriate for the domain can be made. It is also made possible to again use

knowledge of processes belonging to different epistemological grounds by classifying the processes based on the activity, the resource, and the dependence relationship beyond fields.

The invention can be embodied in various information processing systems such as a stand-alone computer system, a server client system, and a general-purpose computer system and can also be embodied not only as an apparatus or a system, but also as a method. At least a part of the invention can be formed as a computer program, of course. A computer program product (record medium) used for causing a computer to execute at least a part of the invention is also contained in the technical scope of the invention, needless to say.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a drawing to describe the difference between object-oriented analysis and coordination theory analysis.

FIG. 2 is a drawing to describe basic model of process description of the invention.

FIG. 3 is a drawing to show the basic model of the process description with a resource described.

FIG. 4 is a drawing to describe six basic dependence relationships.

FIG. 5 a drawing to describe the concept of dependence relationship.

FIG. 6 a drawing to describe the concept of an

epistemological ground.

FIG. 7 is a drawing to describe the contents of an activity.

FIGS. 8A and 8B are drawings to describe the contents of dependence relationship.

FIG. 9 is a drawing to describe the contents of a resource.

FIG. 10 is a drawing to describe the contents of an epistemological ground.

FIG. 11 is a basic flowchart of a process analysis method.

FIG. 12 is a flowchart of an example of the process analysis method.

FIG. 13 is a drawing to show a process knowledge database system.

FIG. 14 is a drawing to describe classification structures concerning activities, dependence relationships, etc.

FIG. 15 is a drawing to describe classification structures ~~concerning activities.~~

FIG. 16 is a drawing to describe classification structures concerning history information.

FIG. 17 is a drawing to describe classification structures concerning process patterns.

FIG. 18 is a drawing to describe classification structures concerning epistemological grounds and a global epistemological ground.

FIG. 19 is a drawing to show the data structures of the components as a whole.

FIG. 20 is a drawing to show specific data structure examples.

FIG. 21 is a drawing to show specific data structure examples.

FIG. 22 is a drawing to show specific data structure examples.

FIG. 23 is a drawing to describe a creation example of data.

FIG. 24 is a drawing to describe a creation example of data.

FIG. 25 is a drawing to describe a creation example of data.

FIG. 26 is a drawing to describe a creation example of data.

DETAILED DESCRIPTION OF THE PRESENT INVENTION

The invention will be discussed in detail with reference to the accompanying drawings.

Process description

In an embodiment of the invention, a process having "activity," "dependence relationship," "resource," and "epistemological ground" as four components is described. That is, the target in the real world to be described as a process is described as a model in which a plurality of activities operate having dependence relationship via resources rather than an

object, and the course and the purpose of process description proper to the target domain are described in an epistemological ground as constraints in description of the three components of activity, resource, and dependence relationship. The dependence relationship is described based on the resources handled between the activities.

The relationship of having activities²¹⁻²⁹ and the dependence relationship between the activities³⁰⁻³³ as the two components is represented by a model as shown in FIG. 2. The resource handled between the activities may be represented on the dependence relationship as in FIG. 3. In the example in FIG. 3, activity "design"³⁶ and activity "prototype"³⁷ are represented as the dependence relationship of "resource transfer"³⁸ type by transferring resource "design drawing"³⁹.

The six basic types of dependence relationship are resource distribution⁴¹, resource binding⁴², resource transfer⁴³, resource binding and distribution⁴⁴, resource transfer and distribution⁴⁵, and resource binding and transfer⁴⁶ in the combinational relationship between the activity⁴⁷ providing the resource and the activity⁴⁸ using the resource, as shown in FIG.

4.

When a plurality of activities operate depending on each other via an arbitrary resource, from three X three combinations wherein the number of the activities providing the resource and the number of the activities using the resource are zero,

one, and plural, the three combinations wherein the number of the activities becomes less than two are subtracted, and the six basic types result, covering all.

In Reference 11, the dependence relationship is represented by three basic types. For example, to attempt to represent the "resource binding and transfer" type in the invention by a combination of the three types, in the method in Reference 11, it must be represented by including the "resource binding" activities in the internal structure of the resource providing activity in "resource transfer." In this case, however, the direct dependence relationship between the resource providing activity and the resource using activities in the "resource binding and transfer" cannot be described, and the "resource binding" activities are merged into one of the resource providing activities in the "resource transfer," then the dependence relationship must be described.

As the six dependence relationship types, the situation in which two or more activities depend on each other is classified into types, but the dependence relationship of main and subordinate (which activity depends on which of other activities) is not limited. The reason is that a plurality of coordination methods different in relationship of main and subordinate exist as dependence relationship coordination method and to describe them so that they can be compared, it is convenient to describe in one dependence relationship type.

As examples of the coordination methods different in relationship of main and subordinate, if the consumption activity cannot be coordinated although the production activity can be coordinated, a coordination method of production based on orders is possible as a coordination method with the consumption as the main and the production as subordinate. In contrast, if the production activity cannot be coordinated although the consumption activity can be coordinated, a coordination method with the production as the main and the consumption as subordinate is adopted; an inventory coordination method and a price coordination method are possible.

As the resources, all things used or provided by an arbitrary activity can be set, such as matter, energy, information, time, space, raw material, facilities, human resources, and signal. However, in actual process description, the minimum necessary resources for describing the dependence relationship between activities and its coordination method are described, whereby a simple process description can be made. The definition concerning the minimum necessary description is described in resource definition in an epistemological ground.

For example, as the resources required for the activity of "printing a document," it is necessary to describe an electronic document and a printer as the resources in the an

epistemological ground of information processing process design, but power supply and installation place need not be described as the resources. In contrast, in the epistemological ground of office layout design, it becomes indispensable to describe power supply and installation place as the resources.

The term "resource distribution" is used for representation of the dependence relationship between activities when a plurality of activities use one resource. For example, to print out on one printer from a plurality of personal computers, printouts from the personal computers must be coordinated to use the printer efficiently. The term "resource distribution" is used for representation of such dependence relationship.

The term "resource binding" is used for representation of the dependence relationship between activities when one resource is provided by a plurality of activities. For example, to complete one piece of music by playing a plurality of musical instruments, the play timing must be coordinated. The term "resource binding" is used for representation of such dependence relationship.

The term "resource transfer" is used for representation if the dependence relationship exists between activities when one resource provided by one activity is used by another activity. For example, the production activity and the sale activity have

dependence relationship via the resource of products and various coordination methods can exist depending on the purposes of inventory minimizing, speeding up delivery at the maximum. The term "resource transfer" is used for representation of such dependence relationship.

The term "resource binding and distribution" is used for representation of the dependence relationship between a plurality of resource providing activities and a plurality of resource using activities when one resource is provided by a plurality of activities and further is distributed to a plurality of activities for use. For example, to assemble automobiles with the colors and types of parts changed in response to various user needs, the parts providing activity depends on orders from a plurality of car dealers, or one car dealer depends on others in the sense that the delivery time is affected by the production capability of the parts providing party and orders from other car dealers. The term "resource binding and distribution" is used for representation of such dependence relationship.

The term "resource transfer and distribution" is used for representation if the dependence relationship exists between activities when one resource provided by one activity is used by a plurality of activities. For example, in a system wherein the production amount and speed are changed depending on a plurality of demands, the resource providing party changes the amount of the provided resource and the providing speed

of the resource depending on the number of activities to which the resource is distributed. The term "resource transfer and distribution" is used for representation of such dependence relationship.

In the example, if the amount of the provided resource or the providing speed of the resource is changed, it is assumed to be the same resource; however, the case where one resource is provided and the case where a dozen of resources are provided in a lot can also be assumed to be different resources by changing the resource definition in the epistemological ground.

The term "resource binding and transfer" is used for representation if the dependence relationship exists between activities when one resource provided by a plurality of activities is used by one activity. For example, in a system wherein shipment adjustment is made depending on the activities of a plurality of suppliers, the resource use is controlled depending on a plurality of binding activities. The term "resource binding and transfer" is used for representation of such dependence relationship.

A coordination method of coordinating the dependence relationship between activities is described as an attribute of the dependence relationship. The coordination method of coordinating the dependence relationship between activities⁵¹⁻⁵³ is described as the contents of the dependence relationship,⁵⁴ as shown in FIG. 5. In the case where no coordination method

exists although the dependence relationship exists, no coordination method is described.

The epistemological ground is a component for describing the purpose and course of process description in a target domain (specialization field or technical area) in which the process to be described exists, and the contents including information concerning definition of the three components of activity, resource, and dependence relationship (description range, type definition, classification structure, and end condition of description containing granularity (range of dividing description into details)) are described.

As shown in FIG. 6, the epistemological ground⁶¹ retains information for controlling description of the three components of activity⁶¹⁻⁶⁴, resource^(not shown), and dependence relationship⁶⁵ as contents and exists as background information of process description.

The activity is a component for describing the operation forming a process and the contents including the activity name, the resource involved in the activity, and the details of the activity are described. FIG. 7 shows the details of the activity⁷¹. The details of the activity⁷² mentioned here are also a process and the activity is divided into details⁷³ by the process description method.

As the activity, the contents including the resources involved in the activity (used and provided resources) and the details of the activity are described, as shown in FIG. 7. If

the details of the activity mentioned here can be described as a process, the activity is divided into details by the process description method. In the example in FIG. 7, to divide activity A into details⁷², a process made up of activities a1 and a2 is shown.

The dependence relationship is a component for describing the relationship between activities and the contents including the dependence relationship between activities when attention is focused on the resource transferred between the activities, and the coordination method of coordinating the dependence relationship are described. If the coordination method mentioned here can be described as a process, it is described by the process description method.

In the dependence relationship, if more than one coordination method exists, the contents including information concerning comparison of the coordination methods are described.

As the dependence relationship, the contents including the resource transferred between activities and the activities depending on each other and coordination method and coordination method comparison information as the contents of the dependence relationship. In the example in FIGS. 8A and 8B, for the activities^{81,82}, the resource providing activity and the resource using activity are retained separately (FIG. 8A). In the example in FIGS. 8A and 8B, two coordination methods exist and

information concerning comparison of the coordination methods⁸⁵ is described (FIG. 8B). The information concerning comparison is represented by a description made in a natural language, a balance sheet, or a tradeoff table. If the coordination method can be described as a process, activities C⁸⁶ and D⁸⁷ references the process described by the process description method as in the example in FIG. 8B.

The resource is a component for describing the resource transferred between activities and the contents including the resource name and the nature of the resource are described.

The resource⁹¹ is described by the contents⁹² including the resource name and the nature of the resource, as shown in FIG. 9. The nature of the resource is defined using an epistemological ground. For example, to adopt a worker as the nature of the resource, the values corresponding to the attributes of work qualification, age, work hours, past work experience, etc., are entered in the nature of the resource. The attributes are defined in the epistemological ground.

The epistemological ground defines characteristics depending on the domain to describe the process to be described as a model closer to the actual needs by describing information concerning the nature of the target domain wherein the process to be described exists, and the analysis viewpoint and purpose. As shown in FIG. 10, the contents including information concerning the activity¹⁰⁶, the resource¹⁰⁷, and the dependence

relationship¹⁰⁴ description ranges (type and granularity), type definition for determining the attribute to describe the component nature, the classification structure¹¹⁶ in which the components are mapped, and the description end condition for dividing the process into details¹⁶⁹ are described. The values vary depending on the target domain and some values are displayed in format theory or expression and some are described in a natural language as description.

From the practical demand, a single global epistemological ground independent of the target domain exists, and definition of the activity, the resource, and the dependence relationship as initial values independent of the target domain is described as attributes of the global epistemological ground. To create a new epistemological ground, additional description specialized for the target domain is made for the global epistemological ground and an epistemological ground name to the target domain as a different name from the name of the global epistemological ground is given and the new epistemological ground is saved.

Process classification

In the embodiment, processes are classified with activity, dependence relationship, resource, and epistemological ground as four components. The three components of the activity, the resource, and the dependence relationship can be classified

according to various classification structures including meaningful abstract and concrete (Is-a) relationship like generalization-specialization, inclusion (Part-of) relationship indicating composition like whole-part, cluster relationship indicating traditional or intuitive classification proper to each field, etc., and the classification structures are managed as attributes of the epistemological ground using each component.

The dependence relationships of activities and resources are classified according to various classification structures including meaningful abstract and concrete (Is-a) relationship¹⁴¹, inclusion (Part-of) relationship¹⁴² indicating composition, cluster relationship proper to each field¹⁴³, etc., as shown in FIG. 14 as an example. FIG. 15 shows examples of classification of resources¹⁵¹. More than one classification structure can be defined for each epistemological ground and from the practical demand, a single global epistemological ground¹⁸¹ exists as shown in FIG. 18 and global classification structure¹⁸² is retained in the global epistemological ground.

The epistemological grounds can also be classified according to various classification structures including meaningful abstract and concrete (Is-a) relationship, inclusion (Part-of) relationship indicating composition, cluster relationship proper to each field, etc., and the classification structures are managed as attributes of the

global epistemological ground.

That is, the epistemological grounds are classified according to various classification structures including meaningful abstract and concrete (Is-a) relationship, inclusion (Part-of) relationship indicating composition, cluster relationship proper to each field, etc., as shown in FIG. 18. The classification structures of the epistemological grounds are retained only in the global epistemological ground.

The four components of the activity, the dependence relationship, the resource, and the epistemological ground are classified according to various classification structures including history information of creation histories, change histories, reference histories, deletion histories, etc., and the classification structures are managed as attributes of the epistemological ground using each component.

Various pieces of history, information of creation histories, change histories, reference histories, deletion histories, etc., are retained for each component, as shown in FIG. 16.

Characteristic processes used in specific patterns, such as those frequently used or the well-worn means most frequently used under a specific condition, are classified according to various classification structures including the cluster relationship as process patterns, and the classification structures are managed as attributes of the epistemological

ground using each components.

As shown in FIG. 17, the process patterns are classified according to various classification structures¹⁷¹⁻¹⁷⁴ including the cluster relationship overlapped¹⁷⁵ and more than one classification structure can be defined for each epistemological ground and from the practical demand, global classification structure is retained in the global epistemological ground.

Process knowledge database

In the embodiment, a process knowledge database installing the process description method and the process classification method as described above is realized. The process knowledge database can be installed in various computer systems such as a client server system, a general-purpose system, and a stand-alone computer system. That is, the database system classifies the process description data based on the above-described components according to the above-described classification structures and retains the process description data. Further, the process knowledge database is made up of input means 100, retrieval means 101, edit means 102, database management means 103, display means 104, and storage means 105, as shown in FIG. 13.

Process retrieval method

In the embodiment, for example, using the above-described process knowledge database system, specific information, similar information, peripheral information, target information, and the like are retrieved from the above-mentioned various classification structures with the types, values, or their combinations contained in the attribute information of activity, dependence relationship, resource, and epistemological ground as retrieval keys.

That is, the process retrieval method is so-called attribute retrieval for retrieving information according to combinations of the types and values of the attributes of the components, and specific information, similar information, peripheral information, target information, and the like are retrieved from the above-mentioned various classification structures with the types, values, or their combinations contained in the attribute information of activity, dependence relationship, resource, and epistemological ground as retrieval keys.

In a system or a database incorporating the process description method described above, specific information satisfying a condition, similar information matching if the retrieval information is a little loosened, peripheral information whose nearby information is retrieved in classification structure depending on an epistemological ground, information of comparison target compared in the

coordination method comparison information in FIGS. 8A and 8B when dependence relationship is described, and the like can be retrieved with information contained in the attribute information of activity, dependence relationship, resource, and epistemological ground or their combinations as retrieval keys, as described below.

To retrieve specific information with a retrieval condition specified, which of activity, dependence relationship, resource, and epistemological ground is to be found the retrieval result of is specified. If necessary, retrieval can also be executed with the attribute value of the retrieval target and the value specified and flexible retrieval can be executed by specifying any other information of relevant activity, dependence relationship, resource, and epistemological ground or the attribute.

First, epistemological ground retrieval will be discussed. To retrieve an epistemological ground, epistemological ground retrieval is specified and its conditions are set. As the conditions, not only the attribute values of the epistemological ground, such as end condition and name, but also the activity, dependence relationship, resource contained in the epistemological ground can be used to retrieve the epistemological ground. For example, the epistemological ground containing the activity having a specific attribute value is retrieved. Further, retrieval with the retrieval range

specified in classification structure in such a manner that the retrieval range is set in the direction of the superordinate hierarchy on the classification structure of global epistemological ground with a specific epistemological ground or its set as a viewpoint, that the retrieval range is set at the same level, or that retrieval range is set in the direction of the subordinate hierarchy. Similar retrieval with the allowable range loosened for condition match can also be executed.

Similar retrieval is also provided for the activity, the dependence relationship, and resource. Which of the activity, dependence relationship, and resource is to be found the retrieval result of is specified and retrieval is executed. If necessary, retrieval can also be executed with the attribute value of the retrieval target and the value specified and retrieval can be executed by specifying any other information of relevant activity, dependence relationship, resource, etc., or the attribute. At the time, to specify the condition of the activity, dependence relationship, or resource, the condition of the epistemological ground can also be specified. If no specification is made, retrieval is executed in all epistemological grounds; if specification is made, retrieval is executed using the attribute values and classification structure of the activity, dependence relationship, resource in the epistemological ground of the specific condition.

The retrieval range can also be specified for the activity, dependence relationship, resource. The epistemological ground and the classification structure in the epistemological ground are specified, whereby the retrieval range can be controlled in the classification structure. For example, if the retrieval range is defined in the direction of the superordinate hierarchy for one activity, the retrieval range is specified in the range following the classification structures described about the described activity, of the classification structures that the specified epistemological ground has in the direction of the superordinate hierarchy. As similar retrieval range control, the retrieval range can be defined in the direction of the subordinate hierarchy, in the same-level hierarchy, in the periphery in the classification structure, etc.

As special retrieval, for coordination methods contained in dependence relationships, another coordination method within the same dependence relationship can also be retrieved. The coordination method retrieval can also be logically bound with other retrieval conditions described above. For example, control of specifying a relevant activity condition and specifying the retrieval range can be added.

In the example in the related art, the abstract and concrete form directions differ between fields wherein classification structure priorities differ in different fields and if

abstracting is advanced in each classification structure, a common portion cannot be seen in some cases. In the invention, however, more than one classification structure is allowed in an epistemological ground, whereby it is made possible to provide a common classification structure even between fields wherein classification structure priorities differ. Such a common classification structure is specified and the retrieval range is specified, whereby it is made possible to find out a process match, etc., between fields formerly unable to be detected and in addition, retrieval with the classification structure specified can be executed, so that retrieval range specification in the viewpoint at the retrieval time can be realized without being affected by classification structure priorities differing between fields.

Process analysis method

Analysis is conducted while epistemological ground definition and process description are made in parallel. First, the above-described epistemological ground is defined, a process is analyzed and described according to the above-described activity, dependence relationship, and resource based on the epistemological ground definition, and the epistemological ground definition is improved as required based on information provided from the analysis. The process analysis and description and improvement in the epistemological

ground definition are repeated for advancing the process analysis until the description end condition defined in the epistemological ground is reached.

The process analysis method is an analysis method of making epistemological ground definition and process description in parallel, as shown in FIG. 11. The steps shown in FIG. 11 are obvious from the figure and therefore will not be discussed.

Specifically, as shown in FIG. 12, an epistemological ground is defined^{S112} for the purposes of describing the characteristic of the target domain wherein a process exists and the process, etc. To define an epistemological ground, a new epistemological ground is created based on a global epistemological ground provided as initial value or an epistemological ground matching or similar to one of the already described and classified epistemological grounds is used or improved.

Next, based on the defined epistemological ground, the process to be analyzed is analyzed and described^{S113} paying attention to activity, dependence relationship between activities, and resource. If process description similar to the target process is retrieved and found, the found process description is used and improved and description of the target process is advanced. At the initial stage, the process is described with the granularity and abstract degree capable of surveying the whole image.

Next, the epistemological ground definition is again checked based on the information provided in the process of the analysis, and addition or correction is made as required. If the epistemological ground definition is changed, the process description is also corrected accordingly.

Last, collation is made with the description end condition defined in the epistemological ground and if a match is found, the processing is terminated.³¹¹⁴ If no match is found, again control returns to checking the epistemological ground definition and the steps are repeated.

The steps shown in FIG. 12 are also obvious from the figure and therefore will not be discussed in detail.

If the epistemological ground concerning the target domain of the process to be analyzed already exists, the history information of the analysis conducted in the past with the epistemological ground is used and the process is described while the process description constraints defined in the epistemological ground (component definition, etc.,) are changed gradually, whereby the process analysis can also be advanced.

With the analysis method, if the epistemological ground corresponding to the target domain of the process to be analyzed already exists, the process is described while the epistemological ground is changed gradually based on the history of the analysis conducted in the past with the epistemological

ground, whereby coordination of analysis detail degree and granularity can be supported using the past analysis history.

If the epistemological ground concerning the process to be analyzed already exists, the history of change of the epistemological ground made in the past is edited as required and the gradual change of the epistemological ground is retained in the epistemological ground history as methodology of process analysis. To analyze the target process, the process is analyzed and described following the gradual change of the epistemological ground, whereby the process analysis is advanced.

To analyze and describe the process following the gradual change of the epistemological ground, the step of change of the epistemological ground (=analysis step) is recorded in an edited history file. The history file for analysis is retained as one history file in the history file list of the epistemological ground, for example, with history file name "analysis guide 1" or the like.

To gradually change the epistemological ground using the history file like "analysis guide 1," arbitrary data in the history referenced from the history file "analysis guide 1" is referenced, whereby the state of the epistemological ground retained as a record in the history data is adapted to various definitions and description conditions of the current epistemological ground. At this time, the most recent state

of the epistemological ground is backed up in a normal history file, for example, with history file name "automatic history."

Normally, the history items indicating the analysis steps are placed in order in the analysis file with the steps. To specify the epistemological ground used for analysis by referencing epistemological ground classification structure, the criterion for advancing analysis from one analysis step in the history file for analysis to the next analysis step, or the criterion for branching analysis to a different analysis step or making a loop or jumping to analysis using the epistemological ground of a domain different from the current depending on the analysis result at one analysis step, they are described in the description portion in the analysis file.

For example, as shown in an epistemological ground classification example in FIG. 18, in the process of advancing the analysis step in epistemological ground "software design," ¹⁸³ the analysis is branched to epistemological ground "UI (user interface) design," epistemological ground "data flow design," or epistemological ground "function design" and can be advanced while using an appropriate epistemological ground in keeping with the advance of the analysis.

In the process analysis method described here, the history of change of the epistemological ground made in the past is edited as required and the gradual change of the epistemological ground is retained in the epistemological ground history as

process analysis steps and when the target process is analyzed, the process is analyzed and described following the gradual change of the epistemological ground.

Since the epistemological ground history is a history in the process of embodying the process description constraints after trial and error, analysis steps for efficiently analyzing with the process description constraints changed gradually can be prepared by editing the history. Using such analysis steps, support can be executed, for example, in such a manner that the constraints are loosened at the initial stage of process analysis for facilitating description of the whole and are tightened gradually for the detailed description accuracy of the parts, thereby eliminating missing parts.

Process design method

Information of a similar process description to the whole or part of the process to be designed is retrieved by the above-described retrieval method and the found process model is corrected or expanded, whereby a new process can be designed.

The process design method aids in designing a new process by retrieving a replaceable process description or a similar process description to the whole or part of the process to be designed by the above-described retrieval method and improving the found process description. To execute retrieval, a plurality of epistemological grounds are retrieved or a global

epistemological ground is retrieved, whereby information concerning processing description from areas beyond fields and domains can be provided.

Process display method

In a process display method, the background area including an expanded E-R model characterized in that E (entity) and R (relationship) of an E-R model are related to activity and dependence relationship respectively and that a polynomial link of n to m is allowed in R and a model represented by the expanded E-R model can be represented in a background color or by area contour lines as an epistemological ground.

In the process display method, the background area including an expanded E-R model characterized in that E (entity) and R (relationship) of an E-R model are related to activity and dependence relationship respectively and that a polynomial link of n to m is allowed in R as shown in FIG. 4 and a model represented by the expanded E-R model as shown in FIG. 6 is represented in a background color or by area contour lines as an epistemological ground.

In the process display method, the number of dependence relationships between activities is not necessarily one and thus display of all dependence relationships between activities may become intricate. In this case, the dependence relationship to be displayed can be specified by the attribute

and attribute values of the dependence relationship. For example, only the dependence relationships with the same basic type or the same handled resource can be displayed. Likewise, the activities and the resources to be displayed can also be specified by the attribute and attribute values thereof.

Thus, for example, if the dependence relationships are limited to the "move" type for display, a so-called work flow can be displayed. For example, if the resources are limited to production resources of materials, parts, and products for display, a so-called supply chain can be displayed.

Classification structure display method

In a classification structure display method, the background area including an expanded E-R model characterized in that E (entity) and R (relationship) of an E-R model are related to classification target and abstract-concrete (Is-a) relationship, inclusion (Part-of) relationship, or cluster relationship respectively and a classification structure represented by the expanded E-R model can be represented as an epistemological ground.

In the classification structure display method, the background area including an expanded E-R model characterized in that E (entity) and R (relationship) of an E-R model (entity-relation model) are related to classification target and abstract-concrete (Is-a) relationship, inclusion (Part-of)

relationship, or cluster relationship respectively and a classification structure represented by the expanded E-R model is represented as an epistemological ground.

E which becomes the classification root, E which becomes a branch bundling a plurality of entities, and E which becomes a classification leaf are introduced as abstract elements as labels required for easy understanding on classification although actually corresponding components do not exist from the practical demand.

Detailed data structure

FIG. 19 shows an embodiment of data structures required for realizing the system.

Numeral 1 shows the data structure of activity, numeral 2 shows the data structure of resource, numeral 3 shows the data structure of dependence relationship, numeral 4 shows the data structure of epistemological ground, and numeral 5 shows the data structure of global epistemological ground. A process is represented by the data. The data structure of process classification is formed using a set, an array, or a linked list provided by a normal programming language or a database description language for the data IDs.

The data is prepared based on the data structures. As an installation method, for a relational database model, the data structure is defined as relation and data is described

for each type. For a class base object oriented model, the data structure is defined as cluster and data is prepared as instance. For a prototype base object oriented model, the data structure is defined as a prototype containing default values and data is described by copying and editing from the prototype.

The activity 31 has a list of resources provided by the activity 47a and a list of resources used by the activity 47b as internal structure. The dependence relationship 33 has a resource providing activity list 38a and a resource using activity list 48b for the activities depending on each other with the dependence relationship as internal structure.

The epistemological ground 44 has definition information 99 for activity, definition information 410 for resource, and definition information 411 for dependence relationship as internal structure to describe conditions and definition proper to an arbitrary target area when the activity 31, the resource 32, and the dependence relationship 33 are used for process description of the arbitrary target area. Definitions of the activity, the resource, and the dependence relationship as the initial value of the system independent of the arbitrary target area are described in the definition information referenced from the global epistemological ground 45. To create a new epistemological ground corresponding to a new target domain, the global epistemological ground 45 is used as a model or a prototype. The global epistemological ground has

definition information (6) for creating a new epistemological ground.

Data classification of the activity {1}, the resource {2}, and the dependence relationship {3} can be represented by various classification structures typified, for example, by cluster relationship {15}, abstract-concrete relationship {16}, and inclusion relationship {17}, and a classification file {14} filing them is provided.

The epistemological ground {4} and the global epistemological ground {5} have the same data structures, but have attribute fields different in meaning concerning classification information. In the classification information of the epistemological ground {4}, a classification file filing pointers to the classification structures containing the epistemological ground is retained for efficient structure retrieval and classification edit; in the epistemological ground classification in the global epistemological ground {5}, a classification structure classifying all the epistemological ground data existing in the database is retained. Only one global epistemological ground exists in the database.

For the activity {1}, the resource {2}, the dependence relationship {3}, the epistemological ground {4}, the global epistemological ground {5}, a history concerning operation of data creation, edit, reference, etc., can be recorded as history

(13) and a history file (12) is provided. However, the global epistemological ground is edited for use as a model or prototype of creating a new epistemological ground and change or correction of the global epistemological ground cannot be reflected on the global epistemological ground.

The history information of the epistemological ground data is edited, whereby use as a guideline of process description can be made in such a manner that the description conditions of the activity, resource, and dependence relationship in the epistemological ground are described gradually and global description is prompted at the initial stage of the process description and detailed description is prompted at the later stage.

FIG. 20 shows examples of data structures of the epistemological ground, activity, resource, and dependence relationship. FIG. 21 shows examples of data structures relevant to the classification information. FIG. 22 shows examples of data structures relevant to the history information.

^{204 234} ^{201 231} ^{203 233}
^{202 232}
 such as classification file 231
 * cluster relationship classification 236 and inclusion relationship classification 237.

Process description and registration examples

A process is described and registered as follows:

In FIG. 23, in a process description sketch pad (200), the basic configuration of the process to be described is created using the default activity and dependence relationship. At this time, the epistemological ground becomes the global

epistemological ground.

In FIG. 23, to prepare activity data, activity in a basic menu (201) is selected and existing retrieval or new creation is selected. If the new creation is selected, a default figure (202) of activity is displayed. A property (203) of the activity figure (202) is opened and the attributes of the activity are described. As an alternative method, if a dependence activity list table (206) in a dependence relationship property (205) is selected, a menu for selecting existing retrieval or new creation is displayed and activity data can be prepared in a similar manner to that with the basic menu.

To prepare dependence relationship data, dependence relationship in the basic menu (201) is selected and existing retrieval or new creation is selected. If the new creation is selected, a default figure (204) of dependence relationship is displayed. The property (205) of the dependence relationship figure (204) is opened and the attributes of the dependence relationship are described.

In the dependence activity list table (206) in the dependence relationship property (205), the dependence activity type is determined by the number of resource providing activities and that of resource using activities.

The six types of dependence relationship will be discussed.

The term "transfer" means a so-called resource flow and

is used for representation of dependence relationship such that the processing result of one activity is given as an argument to the next activity like an argument and a return value of a function type programming language.

The term "distribution" means so-called resource sharing and is used for representation of such a case where the resource of a warehouse is shared by a plurality of processes in distribution of logistics.

At this time, the method of sharing the resource of the warehouse in a space division manner or a time division manner is described as two coordination methods of the dependence relationship and comparison information of the two coordination methods is described as in the example in FIG. 5, whereby the coordination method appropriate for the purpose of the process design can be selected.

Further, in the example, if the warehouse space is variable and can be allocated, the activity of providing the resource of the warehouse space has the dependence relationship with a plurality of activities using the warehouse and thus this case is represented as the dependence relationship type of "transfer and distribution."

The term "binding" means that a plurality of activities provide one resource, and is used for representation of the case where one argument is returned as a plurality of processing results in cooking, product assembling, or parallel processing

of computers.

At this time, for example, if seasoning of cooking depends on the customer, a plurality of cooking activities depend on the customer and thus this case is represented as the dependence relationship type of "binding and transfer."

Further, the dependence relationship of the case where cooking is supplied to different customers at the same time or in time series is represented as the dependence relationship type of "binding and distribution."

In another example, to represent a process of a human system in groupware or organization theory, the term "binding and distribution" can also be used to represent such a situation in which mutual reaction affects mutual action in the case where a plurality of persons listen to a dialog or a plurality of audiences share a work joined by a group art like jazz or drama.

The four dependence relationship types can also be grasped as activities. For example, "binding" can be grasped as the activity of binding a plurality of resources into one different resource. In the case of describing as dependence relationship, an internal process can be described as a plurality of coordination methods. In the case of describing as activity, one process description results, but a plurality of dependence relationships from another activity can be described. Thus, the criterion for representing whether one process is described as activity or dependence relationship is described in an

epistemological ground as a policy of analysis for each target domain, whereby intuitively easy-to-understanding description with redundancy reduced can be made.

^{Referring to FIG. 23,}

Resource data is created by selecting resource in the basic menu (201). To create resource data out of the basic menu (201), the resource in a basic menu is selected and existing retrieval or new creation is selected. If the new creation is selected, a default figure (209) of resource is displayed. A property (210) of the resource figure (209) is opened and the attributes of the resource are described. As an alternative method, if a use resource list and provided resource list table (207) of the activity property (203) is selected or resource (208) of the attribute of the dependence relationship property (205) is selected, a menu for selecting existing retrieval or new creation is displayed and resource data can be prepared in a similar manner to that with the basic menu.

If the activity data, the dependence relationship data, and the resource data are defined as the data related to each other, the figures are displayed in the visually connected form as shown in (211).

In FIG. 24, to create epistemological ground data, epistemological ground in the basic menu (201) is selected and edit is selected out of a submenu for selecting ~~setting or edit~~ ^{design creation} and existing retrieval, new creation, or global is selected out of the subsequent submenu (214). If new creation is selected,

an epistemological ground property (215) is displayed. If global is selected, a global epistemological ground property (216) is displayed. The global epistemological ground is an epistemological ground for defining initialization of all data and the global epistemological ground data is the only one data and cannot be changed or corrected. The epistemological ground name set to make process description in the current sketch pad (200) is displayed in a label (212) in the upper-right corner.

If ^{Design} ~~setting~~ is selected out of the submenu (213), a new sketch pad is displayed and a retrieval dialog box (217) of epistemological grounds for setting an epistemological ground is opened. If existing retrieval is selected out of the submenu of activity, resource, or dependence relationship in the basic menu (201), the retrieval dialog box (217) is also displayed. As the retrieval conditions, the component type selected out of the basic menu (activity, resource, or dependence relationship), epistemological ground setting in the sketch pad, and the like are input automatically. However, if existing retrieval is selected from the epistemological ground, the classification registered in the epistemological ground classification of the global epistemological ground is to be retrieved.

In FIG. 25, in process description (218), process description (219) stopping resource figure indication from the point of easy viewing and process description (220) wherein

activity "process" is divided into details and "distribute," "calculate," and "retrieve" are displayed are shown. The process description wherein activity "process" is divided into details (network structure made up of combinations of dependence relationship data containing resource data and a plurality of activity data pieces) is retained as the attribute of the resource processing contents of the activity "process." The whole-part relationship between the activity "process" and the activities "distribute," "calculate," "retrieve" is classified in the classification structure of the inclusion (Part-of) relationship referenced from the classification structure of the activity definition of the epistemological ground to which the activities belong.

As show in FIG. 26, to display processes in different epistemological grounds on the sketch pad, they are displayed in an easy-to-understanding format by representing process description borderlines and the epistemological ground names as shown in (221). Likewise, the classification structures and history information in different epistemological grounds are also displayed on a single sketch pad by a similar identification method.

A specific process description example is shown. An embodiment wherein the process to be described is "print processing" of the domain of "information processing system," output from a word processor to a printer, is shown.

First, the global epistemological ground is edited, whereby a new epistemological ground is created and is saved with the name "information processing system." The ID of the epistemological ground is set automatically by the system. A new activity is created in the new epistemological ground and the name "print processing" is given. The ID of the activity and the epistemological ground ID are set automatically by the system.

Next, the resources used by the activity "print processing" are created. Generally, a printer, power supply, paper, ink, an installation location, the print required time, a print job, and the like can be named as the resources required for print processing. Printed matter exists as the resource provided by the "print processing."

For the resources which need not be described on describing the process in the epistemological ground "information processing system," of the above-mentioned resources, the fact that the description is not required is described in definition of the resources in the epistemological ground.

To describe in a natural language, for example, "resources not required for logic design of information processing system are not described as resources required for activity. For example, resources of system power supply, consumable items, installation location, required time for processing, etc., are not described" is described. As another example, the resources

can also be described in conditional expressions. In this case, the condition indicating that the resources classified into consumable items and the resources classified into location, time, etc., are not contained is described in an arbitrary classification structure wherein the resources are later classified, whereby automatically a warning can be displayed for erroneous input.

If the epistemological ground is "office layout" rather than "information processing system," it is obvious that power supply and installation location become indispensable as the resources to be described.

Next, "printer," "print job," and "printed matter" are created as new resources. "Printer" and "print job" are registered in the use resource list and "printed matter" is registered in the provided resource list as the attributes of the activity "print processing."

Next, a coordination method of the process for processing a plurality of print jobs on one printer is described. Here, the dependence relationship "resource distribution" is used. In this case, it is made up of the resource "printer" and two activities "print processing A" and "print processing B" using the resource in a distribution manner. At this time, dependence relationship occurs between the two activities via the resource "printer" and thus dependence relationship type "distribution" is newly created and is given a name of "printer sharing".

The ID of the dependence relationship "printer sharing," the epistemological ground ID, and the dependence relationship type are set automatically by the system. The resource ID is input automatically by the system as the resource "printer" is specified. The user registers the activities "print processing A" and "print processing B" directly in the resource using activity list or specifies them, whereby the system automatically enters the activities in the dependence activity list. For the dependence relationship type "distribution," the resource providing activity list is empty.

Next, a dependence relationship coordination method is described. It is described in the dependence relationship contents. A plurality of coordination methods, comparison information of the coordination methods, and the like are described in the dependence relationship contents.

In the example, two general coordination methods are described in the dependence relationship "printer sharing." One is a method of providing a flag indicating a ready state of the printer and using the printer and the other is a method of recording the use order of the printer and providing the printer in the order.

For example, to describe two coordination methods,

"Coordination method 1: Printer provides a flag indicating a ready state and seeing the flag, each activity uses the printer" and

"Coordination method 2: FIFO stack is provided, requests for using printer are recorded in time series, and the printer resource is provided in the arrival order" can be described.

Further, comparison between the two coordination methods is described as comparison information as follows:

"Coordination method 1 can be realized using a one-bit flag. Acceptance of requests lacks the order property and resource distribution depends on the flag check frequency and timing from the activities" and

"Coordination method 2 requires management means for recording print job requests. Acceptance of requests has the order property and each activity may issue one print job request."

The coordination methods and the comparison information can also be described in the form of referencing a general document file, a table file, a figure file, or an HTML file.

Next, the dependence relationship "printer sharing" is registered in the Is-a classification of the dependence relationship of the classification information in the global epistemological ground. "Distribution" is followed to the subordinate from among the six superordinate types of the Is-a classification tree and printer sharing is registered in the subordinate of sharing.

Next, any other data registered in sharing is checked

and a coordination method adjusting the dependence relationship under a similar condition is found.

For example, "water mill sharing," "memory space sharing," etc., exists as any other data, and coordination methods concerning "watermill sharing" include "raising a busy flag on the roof of the mill," "putting a user list in arrival order on a door," "previously issuing tickets so that the use times of the user become uniform although requests are handled in the arrival order," and "the water mill key is circulated as a use license." The method of issuing tickets so that the use times of the user become uniform can be found from among them as a hint on a new coordination method. Thus, as a method of equally sharing one printer, a coordination method of controlling the upper limit of the processing capability of one printer according to the ticket amount and dividing the tickets by the number of users can be gotten easily and is installed in the information processing system, whereby new process design is made possible.

For example, in the above-mentioned example, the coordination method of "raising a flag" corresponds to the technique of polling or semaphore and the coordination method of "circulating a key" corresponds to the technique of mutex, etc.

According to the invention, processes in different fields

and businesses can be put into a database in common and to analyze, retrieve, and design a process, the most of the process knowledge beyond fields can be made.